



FIG. 1A







FIG. 1B






Serial No.:
Art Unit:

09/337,619
1631

3/19

FIG. 1C






Serial No.
Art Unit:

09/337,619
1631

4/19

FIG. 2






10/01/02

Serial No.:
Art Unit:

09/337,619
1631

5/19

FIG. 3






Serial No.:
Art Unit:

09/337,619
1631

6/19


FIG. 4A





7/19

FIG. 4B






Serial No.:
Art Unit:

09/337,619
1631

8/19

FIG. 5






Serial No.:
Art Unit:

09/337,619
1631

9/19

FIG. 6





10/01/02

Serial No.:

09/337,619


Art Unit:

1631

10/19




FIG. 7

TREATMENT	0	EC DNA		CT DNA		LPS	
MIN.	0	15	30	15	30	15	30



11/19


FIG. 8A




PANEL A

PANEL B

PANEL C



PANEL D



PANEL E




Serial No.:
Art Unit:


09/337,619
1631

12/19


FIG. 8B




PANEL A




PANEL B



PANEL C



PANEL D



PANEL E




Serial No.:
Art Unit:

09/337,619
1631

13/19

FIG. 9






Serial No.:
Art Unit:

09/337,619
1631

14/19

FIG. 10





Serial No.:
Art Unit:

09/337,619
1631

15/19

FIG. 11








FIG. 12





17/19

FIG. 13






Serial No.:
Art Unit:

09/337,619
1631

18/19

FIG. 14





Serial No.:
Art Unit:

09/337,619
1631

19/19

FIG. 15

